

DIY Tutorial: Crafting a US Denim Patchwork Rug

This step-by-step guide will walk you through creating a durable, stylish denim patchwork rug using old jeans and basic sewing techniques. Everything here follows the original process closely so you can confidently complete the project from start to finish.

<https://damviral.com/> **SEE THE BEST PATTERNS**


DIY TUTORIAL: CRAFTING THE US DENIM PATCHWORK RUG

damviral.com ALL MEASUREMENTS CM

1. PREPARATION & MATERIALS

MATERIALS NEEDED (EST. QUANTITIES)

- OLD DENIM JEANS/SCRAPS (~10 pairs, varied colors/wears)
- BACKING FABRIC (e.g., Heavy Cotton Duck or Canvas, 120cm x 180cm)
- MATCHING DENIM THREAD (Heavy Duty)
- THREAD FOR FRINGE (Thick Cotton or Wool)




3. THE STEP-BY-STEP PROCESS


1 SOURCE & PREPARE DENIM: DECONSTRUCT OLD JEANS.

PRE-WASH ALL FABRICS TO PREVENT SHRINKING.


ALL FABRICS TO PREVENT SHRINKING.



2 CUT PATCH SQUARES: 'PATCH UNIT (FINISHED SIZE): 15 CM X 15 CM




3 ARRANGE & DESIGN PATTERN: EXPERIMENT WITH LAYOUT. MIX SHADES AND TEXTURES (e.g., FLORAL AND CHECKED SCRAPS) FOR VISUAL BALANCE.




4 PIECE PATCH ROWS:


SEW SQUARES INTO ROWS. PRESS SEAMS OPEN FOR A FLAT FINISH.




5 JOIN ROWS & ADD BACKING: SEW COMPLETED ROWS TOGETHER. BASTE TO THE BACKING FABRIC (120CM x 180CM).




6 TOP-STITCHING & FINAL SEAMS: TOP-STITCH ALL SEAMS FOR DURABILITY AND LOOK. A FLATTENED, DECORATIVE SEAM.




7 ATTACH FRINGE: PREPARE OR SOURCE FRINGE. SEW FRINGE STRIPS SECURELY TO THE SHORT ENDS.




LEGEND: KEY SEWING METHODS & TERMINOLOGY




***PATCH PIECING (US):** THE FOUNDATIONAL METHOD OF JOINING FABRIC SQUARES. USE PRECISE 1.5 CM SEAM ALLOWANCES FOR ALIGNMENT.




***TOP-STITCHING:** STRENGTHENING SEAMS AND ADDING DECORATIVE DEFINITION BY STITCHING CLOSE TO THE EDGE ON THE RIGHT SIDE.



***FLAT-FELLED SEAM:** A CLASSIC DENIM SEAM WHERE THE EDGES ARE ENCLOSED FOR DURABILITY AND LOOK.




***FUSSY CUTTING:** SELECTING SPECIFIC WORN OR PATTERNED AREAS OF A DENIM PAIR (POCKETS, PATCHES, WORN AREAS) TO BE A FEATURE SQUARE.



***FRINGE APPLICATION:** SECURING SEPARATE FRINGE TO THE RUG EDGES.

FINISHED RUG REFERENCE

FINAL RUG REFERENCE (DIMENSIONS: 120CM X 180CM)



damviral.com

Preparation & Materials

Before you begin, gather all your materials. Having everything ready will make the process smoother and more enjoyable.

Materials Needed (Estimated Quantities):

- Old denim jeans or scraps (about 8–10 pairs, mixed shades and wear patterns)
- Backing fabric (heavy cotton duck cloth or canvas, approx. 120 cm x 180 cm / 47 in x 71 in)
- Matching denim thread (heavy-duty recommended)
- Thick cotton or wool thread (for fringe)
- Fabric scissors or rotary cutter
- Cutting mat and ruler
- Pins or clips
- Sewing machine (recommended for durability)
- Iron and ironing board

Step 1: Source & Prepare Denim

Start by collecting your denim.

- Deconstruct old jeans by cutting along seams to separate usable fabric pieces.
- Focus on flat sections like legs and backs rather than bulky seams.
- Wash and dry all denim pieces before using them. This prevents shrinkage later.
- Iron the fabric flat to make cutting more accurate.

Step 2: Cut Patch Squares

Now create your patch units.

- Measure and cut squares of **15 cm x 15 cm (6 in x 6 in finished size)**.
- Use a ruler and rotary cutter for precision.
- Keep edges straight for easier sewing later.
- Cut enough squares to fill a rug size of **120 cm x 180 cm (approx. 4 ft x 6 ft)** — about 96 squares total.

<https://damviral.com/> SEE THE BEST PATTERNS

Step 3: Arrange & Design Pattern

This is where creativity comes in.

- Lay out your squares on a flat surface.
- Mix different shades of denim (light, dark, worn).
- Add variety using patterned scraps (like pockets, stitched areas, or printed fabric pieces).
- Aim for visual balance—avoid clustering all similar colors in one spot.
- Rearrange until you're happy with the overall look.

Step 4: Piece Patch Rows

Time to start sewing.

- Take your arranged squares and sew them **row by row**.
- Place squares right sides together and sew along one edge using a **1.5 cm ($\frac{5}{8}$ in seam allowance)**.
- Continue adding squares until each row is complete.
- Press seams open with an iron for a flat finish.

Step 5: Join Rows & Add Backing

Now assemble the full rug top.

- Sew completed rows together, matching seams carefully.
- Press seams open again to reduce bulk.
- Once the patchwork top is complete, place it onto your backing fabric.
- Center the patchwork on the backing (120 cm x 180 cm).
- Baste (temporarily stitch or pin) the layers together to keep them aligned.

Step 6: Top-Stitching & Final Seams

This step strengthens your rug.

- Top-stitch along all seams on the front side.
- Stitch close to seam edges for a decorative and durable finish.
- This helps flatten seams and gives a classic denim look.
- For extra durability, you can use a flat-felled seam technique if you're experienced.

<https://damviral.com/> **SEE THE BEST PATTERNS**

Step 7: Attach Fringe

Finish your rug with fringe edges.

- Cut thick cotton or wool threads into equal lengths.
- Fold each strand in half and attach along the short edges of the rug.
- Sew or knot them securely into the edge seam.
- Space them evenly for a clean, consistent look.
- Trim fringe ends to your desired length.

Finished Rug Reference

- Final dimensions: **120 cm x 180 cm (approx. 4 ft x 6 ft)**
- Each square: **15 cm x 15 cm**
- Fringe added to both short ends
- Durable, washable, and uniquely styled

Helpful Tips

- Use denim with different textures for more character.
- Avoid very stretchy denim—it can distort your squares.
- A walking foot on your sewing machine helps feed thick layers evenly.
- Take your time aligning seams—this makes a big difference in the final look.
- Wash finished rug on gentle cycle and air dry for longevity.

<https://damviral.com/> **SEE THE BEST PATTERNS**